

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	235	(345/561)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:31
S2	5536	((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:29
S3	5262	(((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:30
S4	1268	(717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:24
S5	162	(((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:31
S6	39747	(object adj1 oriented) or super?class\$3 or sub?class\$2 or inheritance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:33

S7	77	(((((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class")))) and ((object adj1 oriented) or super?class\$3 or sub?class\$2 or inheritance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:41
S8	5854	(evaluat\$3 or analyz\$3 or examin\$3 or monitor\$3 or validat\$3 or verifi\$3 or verify\$3) with ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:42
S9	8	((evaluat\$3 or analyz\$3 or examin\$3 or monitor\$3 or validat\$3 or verifi\$3 or verify\$3) with ((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1))) and ((((((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1 or declarat\$4 or expression\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class")))) and ((object adj1 oriented) or super?class\$3 or sub?class\$2 or inheritance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:46

S10	221	((track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:49
S11	3	(((track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:50
S12	3462	(evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:17
S13	365	((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:54

S14	12	((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".cls") or ((345/561)".cls"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:54
S15	13044	(boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:58
S16	4499	((boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) same ((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:59
S17	497	((boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) same ((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 16:59

S18	21	(((((boolean with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) same ((evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".cls") or ((345/561)".cls")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 17:48
S19	6549	(evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or statement\$1 or operat\$4 or condition\$1)) or ("IF" with "THEN") or loop\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 17:58
S20	1443	(717/124 or 717/136 or 717/139 or 717/140)".cls"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 17:58
S21	115	(((((717/124 or 717/136 or 717/139 or 717/140)".cls") or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".cls") or ((345/561)".cls")))) and ((evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or statement\$1 or operat\$4 or condition\$1)) or ("IF" with "THEN") or loop\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:25
S22	73	(((((717/124 or 717/136 or 717/139 or 717/140)".cls") or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".cls") or ((345/561)".cls")))) and ((evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or statement\$1 or operat\$4 or condition\$1)) or ("IF" with "THEN") or loop\$1)) and (source adj2 (code or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:15

S23	34904	(logical or bool or boolean) with ("OR" or "AND")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:16
S24	1069	((logical or bool or boolean) with ("OR" or "AND")) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:16
S25	17277	(pars\$3 or evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or boolean) with ("OR" or "AND"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:18
S26	242	(((logical or bool or boolean) with ("OR" or "AND")) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))) and ((pars\$3 or evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or boolean) with ("OR" or "AND")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:18
S27	14	((((logical or bool or boolean) with ("OR" or "AND")) and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2 (code or program\$1)))) and ((pars\$3 or evaluat\$4 or debug\$4 or track\$3 or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or boolean) with ("OR" or "AND")))) and (((717/124 or 717/136 or 717/139 or 717/140)".class") or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 18:18
S28	24	((short adj1 circuit) with evaluat\$3) and ((bool\$3 or logical) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:39

S29	10811	(concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:44
S30	381	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3 or logical) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:21
S31	2757	((717/124 or 717/136 or 717/139 or 717/140)".class") or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:22
S32	1508	((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:22
S33	2757	((((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class")) or (((717/124 or 717/136 or 717/139 or 717/140)".class") or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:22
S34	5	((((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))) and (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class")) or (((717/124 or 717/136 or 717/139 or 717/140)".class") or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class") or ((345/561)".class"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:22
S35	140	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:26

S36	79	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) and ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))) and @pd<"20020116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:25
S37	7	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) with ((bool\$3) near4 (expression\$1 or statement\$1 or operator\$1 or operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:26
S38	11	((short adj1 circuit) with evaluat\$3) with ((bool\$3 or logical) near4 (\$3expression\$1 or \$3statement\$1 or operator\$1 or operation\$1 or condition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:40
S39	13	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with evaluat\$3) with ((bool\$3 or logical) near4 (\$3expression\$1 or \$3statement\$1 or operator\$1 or operation\$1 or condition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:45
S40	11452	(concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3 or (at adj2 "same" adj2 time)) with evaluat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:45
S41	14	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3 or (at adj2 "same" adj2 time)) with evaluat\$3) with ((bool\$3 or logical) near4 (\$3expression\$1 or \$3statement\$1 or operator\$1 or operation\$1 or condition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:26
S42	107059	switch with case\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:28
S43	60221	program\$4 with language\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:26
S44	60	(switch with case\$1) same (program\$4 with language\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:27

S45	1094	switch near4 construct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:28
S46	6	(switch near4 construct) same (program\$4 with language\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:28
S47	21415	("713").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:43
S48	14361	bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:45
S49	487	((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:45
S50	665	(short adj1 circuit) with evaluat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:46
S51	3	((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1))) and ((short adj1 circuit) with evaluat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:46
S52	41	((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1))) and (evaluat\$3 with (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 15:47

S63	36038	pattern near5 match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:22
S64	691	S63 and (evaluat\$3 with (statement\$1 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:30
S65	244	S64 and (programming with language\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:31
S66	129	(345/561)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:25
S67	882	(717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:25
S68	1429	(717/124 or 717/136 or 717/139 or 717/140)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:25
S69	2237	S66 or S67 or S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:25
S70	17	S65 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 15:25
S71	235	S64 and (evaluat\$3 with (result\$1 or outcome\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:31
S72	32	S71 and (evaluat\$3 with (result\$1 or outcome\$1) with type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:31

S73	2	S72 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:29
S74	22076	(evaluat\$3 with (statement\$1 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:52
S75	1988	S74 and (programming with language\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:31
S76	786	S75 and (evaluat\$3 with (result\$1 or outcome\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:53
S77	62	S76 and (evaluat\$3 with (result\$1 or outcome\$1) with type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:54
S78	6	S77 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 16:32
S79	423	S74 and (nest\$3 with (statement\$1 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:57
S80	310	S74 and (sub?statement\$1 or sub?expression\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:53
S81	692	S79 or S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:53
S82	358	S81 and (evaluat\$3 with (result\$3 or outcome\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:53

S83	45	S82 and (evaluat\$3 with (result\$3 or outcome\$1) with type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:54
S84	17	S83 and (program\$4 with language\$1 with (statement\$1 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:57